PUTNEY Designs

MAKE PUTNEY'S Portable Butterfly Emerging Case




Materials Used & Resources (optional)

- Pfifertex mesh (lemon yellow shown here), 54 inches wide, ~14.95/yard you'll need at least 14", so you'll have extra for other projects
 - https://www.sailrite.com/Phifertex-Mesh-Lemon-Yellow-406-54
- **Top Notch 9** (black used here), **marine grade nylon fabric**, 60 inches wide, ~13.95/yard for black... some colors cost more
 - https://www.sailrite.com/Top-Notch-9-Black-60-Fabric (~13.94/yd)
 - · Other colors I've used and liked for other projects (reference only)
 - https://www.sailrite.com/Top-Notch-9-Caribbean-Blue-60-Fabric (~16.90/yd)
 - https://www.sailrite.com/Top-Notch-9-Cardinal-Red-60-Fabric (~16.90/yd)
 - https://www.sailrite.com/Top-Notch-9-Taupe-60-Fabric (~15.20/yd)
- YKK #5 zipper by the foot need ~ 5 feet
 - https://www.sailrite.com/YKK-Zipper-5-Coil-Continuous-Black (\$0.35/foot)
- YKK #5 non-locking zipper pull tab ~\$0.20 each need 3 zipper pulls
 - https://www.sailrite.com/YKK-Zipper-Slider-5-Black-Metal-Single-Non-Locking-Pull-Tab-Coil

Copyright © 2020, MK Tufft, Putney Designs, LLC

PUTNEY DESIGNS




PUTNEY A PLAN DESIGNS

Portable Butterfly Emerging Case - Instructions - STEP1 s|F|2020 MKTuff+ Make folds #1#2 # statch in place - this will be zipper edges For side Zipper



- side zipper installed






2 Make folds # 3-5 # stitch ~ 1" away from fold to form stiffening pockets for bambou skewers
3 Rip 16" piece of Ykk Zipper in half, separating coils. stitch one side of coil to each folded edge (folds #1,2)
COIL should face OUT (opposite direction of Stiffening pockets)




PUTNEY GPLAN DESIGNS




PUTNEY G PLAN DESIGNS


Portable Butterfly Emerging Case - Instructions - STEP 3 5/17/2020 MKTufft



Install 16" section of YKK Zipper along A edges of 8"×8" mesh top () Extend Zipper ~1" beyond mesh (2) Sew BACK side of Zipper to edge of mesh (3) FOLD + TUCK Zipper at corners to turn edge (mitre folds + stitch thru corner) DO NOT SEW ACROSS ZIPPER COILS YET!



(a) - TOP MESH SECTION with zipper attached showing overlap at ends NO PULLS IN SERTED YET






(6)- FIRST ZIPPER PULL INSERTED C) SECOND ZIPPER PULL INSERTED

* After inserting both zipper pulls, you can shitch arcross zipper coils near zipper ends.

PUTNEY G PLAN DESIGNS



PUTNEY G PLAN DESIGNS

Portable Butterfly Emerging Case - Instructions - STEP5 SHAZED MKTufft



(a) take 3 bambou skewers



(b) insert 1 bambou skewer into each pocket



© push down until fully inserted



TOP VIEW



SIDE VIEW



ZIPPER DETAILS... IN CASE YOU WERE SCRATCHING YOUR HEAD



YKK #5 COIL ZIPPER... WITH THE COIL TOGETHER



IF THE DIRECTIONS SAY TO RIP THE ZIPPER IN HALF, THIS IS WHAT I MEAN—PULL THE COILS APART. YOU'LL USE THE ZIPPER PULL TO KNIT THE COILS BACK TOGETHER AFTER THE ZIPPER IS SEWN IN PLACE.